

The Many Faces a Generalist Encounters: Reading Facial Expressions as a Way of Improving Doctor-Patient Communication

John Ragsdale, MD
Carla L. Spagnoletti, MD, MS
Reed Van Deusen, MD, MS
University of Pittsburgh

SADNESS

Eyes

- Medial portion of brows angled up and together (very specific)
- Upper lids lowered
- Lower lids tensed
- Downward gaze

Midface

- Cheeks raised
- Nasolabial folds accented

Mouth

- Lips stretched horizontally
- Corners pulled down
- Lower lip pushed up

ANGER

Eyes

- Brows lowered and drawn together
- Medial portion of brows angled down
- Upper lids raised
- Upper and lower lids tensed

Mouth

- Lips pressed together
- Lip vermilion thinner (very specific)
- Corners tightened
- Lips open with square shape
- Lower lip pushed up
- Jaw thrust forward

HAPPINESS

Eyes

- Brows lowered (Duchenne smile)
- Skin between lid and brow lowered (Duchenne smile)
- Upper and lower lids tensed

Midface

- Cheeks raised

Mouth

- Smile

SURPRISE

Eyes

- Brows raised (not drawn together)
- Upper lids raised (briefly)

Mouth

- Open

FEAR

Eyes

- Brows raised
- Brows raised and drawn together (very specific)
- Upper lids raised
- Lower lids tensed

Mouth

- Open
- Lips stretched horizontally
- Jaw pulled back

DISGUST

Eyes

- Brows lowered (not drawn together)

Midface

- Cheeks raised
- Nasolabial folds accented
- Nose wrinkled

Mouth


- Upper lip raised

CONTEMPT


Mouth

- Unilateral upper lip raised
- Corner raised and tightened (very specific)


NEUTRAL




SADNESS




ANGER




HAPPINESS




SURPRISE



FEAR



DISGUST



CONTEMPT

